



701 GULLO AVENUE
ELK GROVE, IL 60007
Phone 847-640-7002
Fax 847-640-7008
sales@triteqlock.com

Magnum Vendor Emergency Break-in Procedure

TriTeq Doc# tbd rev B


Tools required:

- Safety glasses
- Center punch & hammer
- 1/2" (with 3/8" shank) & TriTeq (step) drill bits
- Electric hand drill
- Pointed chisel or drift punch
- 7/16" socket with extension
- 1/4" ratchet handle

Always use caution when working with power tools!

Step 1: Verify with TriTeq lock reader that the lock is not responding (lock reader will display all dashes).

Step 2: Drill a 1/2" hole located as shown in the picture. Only drill deep enough to penetrate the steel side panel of the vendor.



(DOOR SHOWN OPEN FOR CLARITY OF PHOTOGRAPH)



Step 3: Using the Tritiq step drill, re-drill the hole to 3/4" only drilling deep enough to penetrate the steel side panel of the vendor.




Step 4: Using a flat bladed screwdriver slightly bend the protective bracket located over the Tritiq switch housing away from the switches, exposing one the top nut that holds the switch housing in place.




(LOCK SHOWN OUT OF VENDOR FOR CLARITY OF PHOTOGRAPH)

Step 5: Using a pointed chisel or drift punch and a hammer, loosen and remove the nut. The nut will fall into the liquid collection tray and should be reused.



(LOCK SHOWN OUT OF VENDOR FOR CLARITY OF PHOTOGRAPH)

Step 6: Engage the D shaped flat of the Tritiq emergency break-in tool over the D shaped flat on the motor shaft.



(LOCK SHOWN OUT OF VENDOR FOR CLARITY OF PHOTOGRAPH)



(LOCK SHOWN OUT OF VENDOR FOR CLARITY OF PHOTOGRAPH)

Step 7: Rotate the Tritaq emergency break-in tool counter-clockwise until the lock opens (approximately 40 turns).



(LOCK SHOWN OUT OF VENDOR FOR CLARITY OF PHOTOGRAPH)

Step 8: Vendor door can now be opened.

Step 9: Remove old emergency break in wire (if present).

Step 10: Upon completion of vendor repair, be sure to replace screw and nut holding lock switch in place and bend protective bracket back in original position.

Step 13: Test lock before closing door.

DESTROY THE DOCUMENT AFTER FINISHING THE BREAK-IN PROCEDURE !

If you have any questions about the Magnum vendor emergency break-in procedure please contact Tri-teq lock and security by phone at 1-847-640-7002 (local) 1-888-603-5625 (toll free) or by e-mail at sales@triteqlock.com .

Our business hours are Monday through Friday 8am to 5pm Central Standard Time.

Thank you for your business, please visit us on the web at <http://www.triteqlock.com/>



701 GULLO AVENUE
ELK GROVE, IL 60007
Phone 847-640-7002
Fax 847-640-7008
sales@triteqlock.com